

基本外形尺寸(mm)					载荷(kN)		极限转速(rpm)	轴承型号	相关安装尺寸(mm)				质量(kg)
d	D	B/C	r _{1.2min}	r _{1.4min}	Cr	Cor			d _{amax}	D _{amax}	r _{amax}	r _{bmax}	参考 Refer.
100	140	30	1.1	1.1	106	182	6300	NN3920	109	131	1	1	1.32
100	140	40	1.1	1.1	128	255	6300	NNU4920	111	133.5	1	1	1.90
100	140	40	1.1	1.1	128	255	6300	NN4920	109	131	1	1	1.76
100	140	70/40	1.1	1.1	128	255	4800	NNUB4920-70	111	133.5	1	1	2.50
100	140	80/40	1.1	1.1	128	255	4800	NNUB4920-80	111	133.5	1	1	2.65
100	150	37	1.5	1.5	151	250	6000	NN3020	111	142	1.5	1.5	2.20
100	165	52	1.1	1.1	234	360	3600	NN3120	109	155	1	1	4.38
100	165	52	2	2	234	360	3600	NNU3120	112	152	2	2	4.39
100	165	65	2	2	358	570	3600	NNU4120	114	155	2	2	5.50
105	145	40	1.1	1.1	130	260	6000	NNU4921	116	138.5	1	1	2.00
105	145	40	1.1	1.1	130	260	6000	NN4921	114	136	1	1	2.0
105	160	41	2	2	190	305	5600	NNU3021	-	150	2	2	2.80
105	160	41	2	2	190	305	5600	NN3021	117	147	2	2	2.88
105	175	69	2	2	413	670	3400	NNU4121	120	165	2	2	6.70
110	150	30	1.1	1.1	114	207	6000	NN3922	119	141	1	1	1.41
110	150	40	1.1	1.1	132	270	6000	NNU4922	121	143.5	1	1	2.05
110	150	40	1.1	1.1	132	270	6000	NN4922	119	141	1	1	2.1
110	150	55/40	1.1	1.1	132	270	4500	NNUB4922	121	143.5	1	1	2.40
110	170	45	2	2	220	360	5300	NN3022	-	160	2	2	3.55
110	170	45	2	2	220	360	5300	NNU3022	122	157	2	2	3.74
110	180	56	1.1	1.1	290	450	3200	NN3122	119	170	1	1	5.4
110	180	69	2	2	418	710	3200	NNU4122	125	170	2	2	6.95
120	165	34	1.1	1.1	138	251	5300	NN3924	130	155	1	1	2.02
120	165	45	1.1	1.1	176	340	5300	NNU4924	133	158.5	1	1	2.80
120	165	45	1.1	1.1	176	340	5300	NN4924	130	155	1	1	2.87
120	180	46	2	2	229	390	5000	NN3024	-	170	2	2	3.85
120	180	46	2	2	229	390	5000	NNU3024	132	167	2	2	4.07
120	200	62	2	2	355	550	3000	NN3124	132	167	2	2	7.72
120	200	80	2	2	523	865	3000	NNU4124	137	190	2	2	11.0
120	215	130/100	2*60°	1.1	704	1120	2200	NNUB4224X2-1	137	209.5	1	1	15.5
130	165	35	1	1	107	238	5000	NN4826	138	156	1	1	1.82
130	180	37	1.5	1.5	173	325	4800	NN3926	141	168	1.5	1.5	2.59
130	180	50	1.5	1.5	187	390	4800	NNU4926	144	172	1.5	1.5	3.85
130	180	50	1.5	1.5	187	390	4800	NN4926	141	169	1.5	1.5	3.84
130	200	52	1.1	2	284	475	4500	NN3026	-	190	2	2	5.75
130	200	52	2	2	284	475	4500	NNU3026	142	187	2	2	5.92
130	210	64	2	2	360	580	2800	NNU3126	142	196	2	2	8.49
130	210	80	2	1.1	561	965	2800	NNU4126	148	200	2	2	10.5
140	190	37	1.5	1.5	201	375	4500	NN3928	151	179	1.5	1.5	2.78
140	190	50	1.5	1.5	190	400	4500	NNU4928	154	182	1.5	1.5	4.10
140	190	50	1.5	1.5	190	400	4500	NN4928	151	179	1.5	1.5	4.07
140	210	53	2	2	297	520	4300	NN3028	-	200	2	2	6.20
140	210	53	2	2	297	520	4300	NNU3028	152	196	2	2	6.38
140	225	68	2.1	2.1	400	650	2600	NN3128	155	209	2	2	10.1
140	225	68	2.1	2.1	400	650	2600	NNU3128	155	209	2	2	10.3
140	225	85	2.1	2.1	627	1040	2600	NNU4128	158	214	2	2	13.0
150	190	40	1.1	1.1	194	450	4500	NN4830	-	182.5	1	1	2.75
150	210	45	2	2	262	490	4300	NN3930	163	196	2	2	4.47
150	210	60	2	2	330	655	4300	NNU4930	166	200	2	2	6.25
150	210	60	2	2	330	655	4300	NN4930	163	196	2	2	6.36
150	225	56	2.1	2.1	330	570	4000	NN3030	-	214	2	2	7.50
150	225	56	2.1	2.1	330	570	4000	NNU3030	165	209	2	2	7.81
150	250	80	2.1	2.1	535	860	2400	NN3130	165	234	2	2	15.4
150	250	100	2.1	2.1	748	1290	2400	NNU4130	174	239	2	2	18.0
160	200	40	1	1	150	355	4000	NN4832	169	191	1	1	2.95
160	220	45	2	2	271	520	4000	NN3932	173	206	2	2	5.02
160	220	60	2	2	330	680	4000	NNU4932	176	210	2	2	6.60
160	220	60	2	2	330	680	4000	NN4932	173	206	2	2	6.77
160	240	60	2.1	2.1	369	655	3800	NN3032	-	229	2	2	9.10
160	240	60	2.1	2.1	369	655	3800	NNU3032	175	224	2	2	9.48
160	240	80	2.1	2.1	510	985	3800	NN4032	175	224	2	2	12.7
160	240	80	2.1	2.1	510	985	3800	NNU4032	175	224	2	2	12.7
160	270	86	2.1	2.1	620	1000	2200	NN3132	175	253	2	2	19.8
160	270	109	2.1	2.1	935	1530	2200	NNU4132	185	259	2	2	25.0
170	230	45	2	2	280	550	3800	NN3934	183	216	2	2	5.01
170	230	60	2	2	336	695	3800	NNU4934	186	220	2	2	6.95
170	230	60	2	2	336	695	3800	NN4934	183	216	2	2	7.13
170	230	80	2	2	550	1180	2800	NNU5934	183	220	2	2	9.55
170	260	67	2.1	2.1	450	805	3400	NN3034	-	249	2	2	12.5

170	260	67	2.1	2.1	450	805	3400	NNU3034	185	244	2	2	12.9
170	280	88	2.1	2.1	635	1050	2000	NN3134	185	263	2	2	21.1
170	280	88	2.1	2.1	635	1050	2000	NNU3134	185	263	2	2	21.4
170	280	109	2.1	2.1	968	1630	2000	NNU4134	195	269	2	2	26.0
180	225	45	1	1	225	535	2200	NN4836	189	215	1	1	4.15
180	250	52	2	2	340	655	3400	NN3936	193	236	2	2	7.2
180	250	69	2	2	402	850	3400	NNU4936	199	240	2	2	10.5
180	250	69	2	2	402	850	3400	NN4936	193	236	2	2	10.4
180	280	74	2.1	2.1	561	1000	3200	NN3036	-	269	2	2	16.5
180	280	74	2.1	2.1	561	1000	3200	NNU3036	195	263	2	2	16.9
180	300	118	3	3	1080	1830	1900	NNU4136	208	287	2.5	2.5	32.5
180	320	104	3	3	840	1420	1800	NN3138	208	300	2.5	2.5	33.8
190	260	69	2	2	402	880	3200	NNU4938	209	250	2	2	11.0
190	290	75	2.1	2.1	594	1080	3000	NNU3038	206	273	2	2	17.9
190	290	75	2.1	2.1	594	1080	3000	NN3038	-	279	2	2	17.0
190	290	100	2.1	2.1	825	1640	3000	NN4038	206	273	2	2	24
190	320	128	3	3	1320	2200	1800	NNU4138	219	307	2.5	2.5	41.0
200	250	50	1.5	1.5	242	600	2400	NNU4840	212	242	1.5	1.5	5.75
200	280	60	2.1	2.1	420	815	3000	NN3940	216	263	2	2	10.6
200	280	80	2.1	2.1	484	1040	3000	NNU4940	222	269	2	2	15.0
200	280	80	2.1	2.1	484	1040	3000	NN4940	216	263	2	2	15.3
200	310	82	2.1	2.1	644	1140	2000	NN3040	-	299	2	2	22.0
200	310	82	2.1	2.1	644	1140	2000	NNU3040	216	293	2	2	22.9
200	310	109	2.1	2.1	890	1730	2000	NN4040	216	293	2	2	30.4
200	310	115	2.1	2.1	1010	1860	2000	NNU4040X2	225	299	2	2	31.5
200	340	140	3	3	1470	2550	1700	NNU4140	231	327	2.5	2.5	51.0
220	300	60	2.1	2.1	440	895	2800	NN3944	236	283	2	2	11.4
220	300	80	2.1	2.1	512	1140	2800	NNU4944	242	289	2	2	16.5
220	300	80	2.1	2.1	512	1140	2800	NN4944	236	283	2	2	16.6
220	300	100	2.1	2.1	897	1930	2200	NNU5944X2	236.5	289	2	2	20.5
220	340	90	3	3	809	1460	2600	NN3044	-	327	2.5	2.5	28.5
220	340	90	3	3	809	1460	2600	NNU3044	238	320	2.5	2.5	30
220	340	118	3	3	1190	2400	2600	NN4044	238	320	2.5	2.5	39.8
220	370	120	4	4	1050	1810	1500	NN3144	241	346	3	3	51.9
220	370	120	4	4	1050	1810	1500	NNU3144	241	346	3	3	52.3
220	370	150	4	4	1650	2900	1500	NNU4144	254	354	3	3	65.0
240	300	60	2	2	358	930	2200	NNU4848	255	290	2	2	9.90
240	300	60	1.1	1.1	358	930	2200	NN4848	252	287	1	1	9.77
240	320	60	2.1	2.1	460	975	2600	NN3948	257	302	2	2	12.2
240	320	80	2.1	2.1	528	1220	2600	NNU4948	262	309	2	2	17.5
240	320	80	2.1	2.1	528	1220	2600	NN4948	257	302	2	2	17.9
240	320	100	2.1	2.1	880	1960	1400	NNU5948X2	255	293	2	2	22.5
240	360	92	3	3	842	1560	2400	NN3048	-	347	2.5	2.5	32.0
240	360	92	3	3	842	1560	2400	NNU3048	259	340	2.5	2.5	30.8
240	360	118	3	3	1240	2600	2400	NN4048	259	340	2.5	2.5	39.3
240	360	118	3	3	1240	2600	2400	NNU4048	259	340	2.5	2.5	42.7
240	400	128	4	4	1170	2040	1400	NN3148	262	376	3	3	64.2
240	400	160	4	4	1980	3650	1400	NNU4148	278	384	3	3	85.0
260	360	75	2.1	2.1	670	1380	2400	NN3952	277	342	2	2	21.4
260	360	100	2.1	2.1	748	1700	2400	NNU4952	288	349	2	2	30.5
260	360	100	2.1	2.1	748	1700	2400	NN4952	277	342	2	2	28.3
260	360	102	2.1	2.1	990	2200	1800	NNU4952X2	283	349	2	2	32.0
260	400	104	4	4	1020	1930	2200	NNU3052	-	384	3	3	46.0
260	400	104	4	4	1030	1920	2200	NN3052	282	376	3	3	47.7
260	400	140	4	4	1550	3150	1500	NNU4052	289	384	3	3	63.5
260	400	140	4	4	1550	3150	1500	NN4052	282	376	3	3	59.7
260	440	144	4	4	1480	2660	1300	NN3152	282	415	3	3	89.1
260	440	180	4	4	2200	3900	1300	NNU4152	300	424	3	3	110
280	350	69	2	2	445	1160	1700	NNU4856	298	340	2	2	15.5
280	350	69	1.1	1.1	445	1160	1700	NN4856	293	336	1	1	15.3
280	380	75	2.1	2.1	695	1460	2200	NN3956	297	361	2	2	22.7
280	380	100	2.1	2.1	765	1800	2200	NNU4956	308	369	2	2	32.5
280	380	100	2.1	2.1	765	1800	1600	NNUP4956	-	369	2	2	33.5
280	380	100	2.1	2.1	765	1800	1600	NN4956	297	361	2	2	32.9
280	420	106	4	4	1080	2080	2000	NN3056	-	404	3	3	49.5
280	420	106	4	4	1080	2080	2000	NNU3056	302	395	3	3	51.4
280	420	140	4	4	1650	3150	1400	NNU4056	309	404	3	3	66.5
280	460	146	5	5	1520	2790	1200	NN3156	306	431	4	4	95.7
280	460	180	5	5	2550	4750	1200	NNU4156	318	440	4	4	120
300	380	80	2.1	2.1	583	1560	1600	NNU4860	320	369	2	2	22.0
300	420	118	3	3	1020	2360	2000	NNU4960	335	406	2.5	2.5	50.0
300	420	118	3	3	1020	2360	2000	NN4960	320	398	2.5	2.5	51.6
300	420	150	1.5	1.5	1870	4500	1600	NNU5960X2	328	412	1.5	1.5	55.5

300	460	118	4	4	1250	2400	1900	NN3060	-	444	3	3	68.5
300	460	160	4	4	1920	4100	1300	NNU4060	333	444	3	3	96.0
300	460	160	4	4	1920	4100	1300	NN4060	323	435	3	3	97.6
300	500	160	5	5	1760	3150	1100	NN3160	327	470	4	4	125
300	500	160	5	5	1760	3150	1100	NNU3160	327	470	4	4	126
300	500	200	5	5	2860	5300	1100	NNU4160	344	480	4	4	155
320	400	80	2.1	2.1	765	2080	1500	NNU4864	340	389	2	2	23.5
320	440	118	3	3	1060	2500	1400	NNU4964	355	426	2.5	2.5	53.0
320	440	118	3	3	1060	2500	1400	NNUP4964	-	426	2.5	2.5	55.5
320	440	118	3	3	1060	2500	1400	NN4964	340	418	2.5	2.5	50.2
320	480	121	4	4	1320	2600	1800	NN3064	-	464	3	3	74.0
320	480	121	4	4	1320	2600	1800	NNU3064	343	454	3	3	76.9
320	480	160	4	4	2120	4300	1200	NNU4064	353	464	3	3	100
320	480	175	1.5	1.5	2460	5400	1200	NNU4064X2	359	472	1.5	1.5	115
320	540	176	5	5	2090	3750	1000	NNU3164	347	509	4	4	154
320	540	218	5	5	3410	6200	1000	NNU4164	365	520	4	4	200
340	420	80	2.1	2.1	644	1830	1400	NNU4868	360	409	2	2	25.0
340	420	80	2.1	2.1	644	1830	1400	NNUP4868	-	408	2	2	24.5
340	460	90	3	3	905	2020	1700	NN3968	361	438	2.5	2.5	42.9
340	460	118	3	3	1100	2650	1700	NNU4968	375	446	2.5	2.5	56.0
340	460	118	3	3	1100	2650	1700	NN4968	361	438	2.5	2.5	52.1
340	520	133	5	5	1670	3300	1600	NN3068	368	490	4	4	102
340	520	133	5	5	1670	3300	1600	NNU3068	368	490	4	4	103
340	520	180	5	5	2550	5100	1100	NNU4068	377	500	4	4	140
340	520	305/200	5	5	3300	7100	1100	NNUB4068X2-3	374	500	4	4	185
340	580	243	5	5	4020	7500	950	NNU4168	392	560	4	4	260
360	480	90	3	3	930	2130	1700	NN3972	381	457	2.5	2.5	44.9
360	480	118	3	3	1120	2800	1700	NNU4972	395	466	2.5	2.5	58.5
360	540	134	5	5	1720	3450	1500	NN3072	-	520	4	4	105
360	540	134	5	5	1700	3450	1500	NNU3072	388	509	4	4	108
360	540	180	5	5	2530	5450	1100	NNU4072	397	520	4	4	140
360	540	180	5	5	2530	5450	1100	NN4072	388	509	4	4	132
360	600	243	5	5	4290	8500	900	NNU4172	414	580	4	4	275
380	480	100	2.1	2.1	952	2550	1200	NNU4876	406	469	2	2	44.0
380	520	140	4	4	1450	3600	1500	NNU4976	421	504	3	3	87.5
380	520	140	4	4	1450	3600	1500	NN4976	404	493	3	3	81.3
380	560	135	5	5	1680	3450	1500	NN3076	-	540	4	4	110
380	560	180	5	5	2650	6200	1000	NNU4076	417	540	4	4	150
380	560	180	5	5	2650	6200	1000	NN4076	408	529	4	4	142
380	620	194	5	5	2620	4950	850	NN3176	408	588	4	4	224
380	620	243	5	5	4290	8500	850	NNU4176	434	600	4	4	285
400	500	100	2.1	2.1	968	2750	1200	NNU4880	426	489	2	2	46.0
400	500	100	2.1	2.1	968	2750	1200	NNUP4880	-	488	2	2	45.5
400	540	106	4	4	1290	2890	1500	NN3980	425	513	3	3	68.7
400	540	140	4	4	1470	3800	1500	NNU4980	441	524	3	3	91.5
400	540	140	4	4	1470	3800	1500	NN4980	425	513	3	3	84.1
400	600	148	5	5	2160	4500	1400	NN3080	-	580	4	4	140
400	600	200	5	5	3470	7200	950	NNU4080	440	580	4	4	205
400	650	250	6	6	4730	9500	800	NNU4180	456	624	5	5	325
420	520	100	2.1	2.1	990	2850	1000	NNU4884	446	509	2	2	48.0
420	560	106	4	4	1280	2900	900	NN3984	445	533	3	3	71.2
420	560	140	4	4	1510	4000	1400	NNU4984	461	544	3	3	95.5
420	560	140	4	4	1510	4000	1400	NN4984	445	533	3	3	87.9
420	620	150	5	5	2120	4500	1300	NN3084	-	600	4	4	145
420	620	150	5	5	2120	4500	1300	NNU3084	449	588	4	4	155
420	620	200	5	5	3150	7100	900	NNU4084	460	600	4	4	183
420	620	200	5	5	3150	7100	900	NN4084	449	588	4	4	189
420	620	260	6	6	4290	10200	900	NNUP5084X2	-	594	5	5	280
420	650	200	6	6	2770	5400	800	NNU3184	435	611	5	5	262
420	700	280	6	6	5500	11400	750	NNU4184	480	674	5	5	440
440	540	100	2.1	2.1	1010	2900	1000	NNU4888	464	529	2	2	50.0
440	600	160	4	4	2050	5200	1300	NNU4988	484	584	3	3	130
440	650	157	6	6	2360	4900	1200	NN3088	-	624	5	5	170
440	650	157	6	6	2360	4900	1200	NNU3088	476	611	5	5	178
440	650	212	6	6	3910	8300	850	NNU4088	477	624	5	5	215
440	700	224	6	6	3550	6800	800	NNU3184	455	660	5	5	347
440	720	280	6	6	5720	11800	700	NNU4188	500	694	5	5	450
460	580	118	3	3	1190	3250	1000	NNU4892	489	566	2.5	2.5	75.0
460	620	118	4	4	1610	3700	1200	NN3992	486	591	3	3	94.5
460	620	160	4	4	2090	5500	1200	NNU4992	504	604	3	3	135
460	680	163	6	6	2600	5500	1200	-	-	654	5	5	195
460	680	218	6	6	4290	9000	800	NNU4092	503	654	5	5	240
460	720	226	6	6	3500	6800	750	NN3192	476	680	5	5	357

460	760	300	7.5	7.5	6440	13200	670	NNU4192	526	727	6	6	535
480	650	170	5	5	2330	6100	1200	NNU4996	528	630	4	4	160
480	650	170	5	5	2330	6100	1200	NN4996	510	617	4	4	164
480	700	165	6	6	2700	5850	1100	NN3096	-	674	5	5	200
480	700	218	6	6	4400	9650	750	NNU4096	523	674	5	5	275
480	700	260	6	6	5390	12500	750	NNU5096X2	527	674	5	5	345
480	790	248	7.5	7.5	4050	8100	630	NN3196	523	742	6	6	447
480	790	308	7.5	7.5	7040	14300	630	NNU4196	545	757	6	6	590
500	670	170	5	5	2330	6100	1100	NNU49/500	548	650	4	4	165
500	700	170	5	5	2700	5400	800	NN49/500X1	549	680	4	4	210
500	720	167	6	6	2580	5600	1100	NN30/500	-	694	5	5	210
500	720	167	6	6	2580	5600	1100	NNU30/500	537	680	5	5	220
500	720	218	6	6	4460	10000	750	NNU40/500	543	694	5	5	285
500	830	325	7.5	7.5	7480	15000	600	NNU41/500	568	797	6	6	710
530	710	136	5	5	2040	4900	1000	NNU39/500	561	676	4	4	149
530	710	180	5	5	2860	7800	1000	NNU49/530	582	690	4	4	200
530	710	180	5	5	2860	7800	1000	NN49/530	561	676	4	4	202
530	780	185	6	6	3200	6900	1000	NN30/530	-	754	5	5	270
530	780	185	6	6	3200	6900	1000	NNU30/530	568	738	5	5	296
530	780	250	6	6	5500	12200	670	NNU40/530	580	754	5	5	420
530	870	335	7.5	7.5	7810	16000	560	NNU41/530	604	837	6	6	790
560	750	190	5	5	3190	8650	950	NNU49/560	619	730	4	4	235
560	820	195	6	6	3690	8000	900	NN30/560	-	794	5	5	315
560	820	258	6	6	4100	10600	630	NNU40/560	615	794	5	5	475
560	820	258	6	6	4100	10600	630	NN40/560	598	778	5	5	472
560	920	280	7.5	7.5	6850	13700	530	NNU31/560	604	870	6	6	738
560	920	355	7.5	7.5	8800	18300	530	NNU41/560	638	887	6	6	930
600	800	200	5	5	3580	10200	900	NNU49/600	662	780	4	4	280
600	870	200	6	6	3800	8650	850	NN30/600	-	844	5	5	355
600	870	272	6	6	6820	15600	600	NNU40/600	653	844	5	5	530
600	980	375	7.5	7.5	9900	21100	480	NNU41/600	682	947	6	6	1100
630	780	150	4	4	2290	7000	800	NNU48/630	659	748	3	3	160
630	850	218	6	6	4020	11400	850	NNU49/630	699	824	5	5	355
630	850	218	6	6	4020	11400	850	NN49/630	670	807	5	5	328
630	920	212	7.5	7.5	4290	9800	800	NN30/630	-	887	6	6	430
630	920	290	7.5	7.5	7650	17500	560	NNU40/630	688	887	6	6	635
630	1030	400	7.5	7.5	11000	24000	450	NNU41/630	716	997	6	6	1330
670	900	230	6	6	4150	11500	800	NNU49/670	732	874	5	5	410
670	900	230	6	6	4150	11500	800	NN49/670	710	856	5	5	419
670	980	230	7.5	7.5	5010	11400	750	NN30/670	-	947	6	6	530
670	980	308	7.5	7.5	8420	19600	500	NNU40/670	733	947	6	6	765
670	1090	412	7.5	7.5	12100	25500	430	NNU41/670	756	1057	6	6	1500
710	870	160	4	4	2640	8350	750	NNU48/710	741	836	3	3	203
710	950	243	6	6	5390	15300	700	NNU49/710	776	924	5	5	480
710	1030	236	7.5	7.5	5720	13200	670	NN30/710	-	997	6	6	590
710	1030	315	7.5	7.5	9350	21600	480	NNU40/710	772	997	6	6	850
710	1150	438	9.5	9.5	13400	28500	380	NNU41/710	800	1110	8	8	1790
750	920	170	5	5	3410	10200	550	NN48/750	-	904	4	4	240
750	1000	250	6	6	5500	16000	670	NNU49/750	824	974	5	5	540
750	1090	250	7.5	7.5	7040	16000	630	NN30/750	-	1057	6	6	705
750	1090	335	7.5	7.5	10200	24000	430	NNU40/750	816	1057	6	6	925
750	1220	475	9.5	9.5	16100	35500	360	NNU41/750	850	1180	8	8	2230
800	1060	258	6	6	5830	17000	380	NNU49/800	876	1034	5	5	615
800	1150	258	7.5	7.5	7810	18000	360	NN30/800	-	1117	6	6	790
800	1150	345	7.5	7.5	10800	26000	360	NNU40/800	871	1117	6	6	1140
800	1280	475	9.5	9.5	16500	36500	340	NNU41/800	900	1240	8	8	2390
850	1030	180	5	5	3400	11400	370	NNU48/850	888	989	4	4	310
850	1120	272	6	6	5940	18000	360	NNU49/850	930	1094	5	5	360
850	1220	272	7.5	7.5	7920	18600	340	NN30/850	-	1187	6	6	480
850	1220	365	7.5	7.5	11700	28500	340	NNU40/850	923	1187	6	6	300
900	1180	280	6	6	6600	20000	340	NNU49/900	977	1154	5	5	805
900	1280	280	7.5	7.5	8250	20000	320	NN30/900	-	1257	6	6	1050
900	1280	375	7.5	7.5	12800	31500	320	NNU40/900	963	1257	6	6	1500
950	1250	300	7.5	7.5	7370	22400	320	NNU49/950	1036	1217	6	6	960
950	1360	300	7.5	7.5	9130	22400	310	NN30/950	-	1327	6	6	1300
950	1360	412	7.5	7.5	14200	35500	310	NNU40/950	1033	1327	6	6	1900
1000	1320	315	7.5	7.5	8580	26000	300	NNU49/1000	1096	1287	6	6	1250
1000	1320	315	7.5	7.5	8580	26000	300	NN49/1000	-	1287	6	6	1200
1000	1420	308	7.5	7.5	10100	24500	290	NN30/1000	-	1387	6	6	1400
1000	1420	412	7.5	7.5	15400	38000	290	NNU40/1000	1084	1387	6	6	2000
1060	1400	335	7.5	7.5	10500	30500	290	NNU49/1060	1150	1367	6	6	1350
1060	1500	325	9.5	9.5	11000	27500	290	NN30/1060	-	1460	8	8	1650
1120	1460	335	7.5	7.5	10500	31500	270	NNU49/1120	1210	1427	6	6	1450

1180	1540	355	7.5	7.5	11900	36000	260	NNU49/1180	1270	1507	6	6	1650
1320	1720	400	7.5	7.5	13800	42500	230	NNU49/1320	1420	1687	6	6	3100
1320	1720	400	7.5	7.5	13800	42500	230	NN49/1320	-	1687	6	6	3060